



TRUD PF — PRODUCT CATALOG

Full-Stave solid panel

Material	Beech
Moisture	8% +/- 2%
Thickness	18, 20, 26, 28, 30, 40 mm
Length	1000–3000 mm
Width	200–1200 mm

Features

- Suitable for CNC machining

Industries & Applications

Furniture

- Countertops, legs, table frames, bed frames
- Kitchen cabinets

Interior finishing

- Stairs
- Door frames
- Handrails

✓ FSC-certified products — available upon request



Trud PF

Olena +38 050 538 01 64

trud.pf@gmail.com

Roman +38 067 374 11 01

trud3000@ukr.net

Vasyl +38 067 373 36 74

info@pf-trud.com

Page 1/9



TRUD PF — PRODUCT CATALOG

Jointed panel

Material	Beech
Moisture	8% +/- 2%
Thickness	18, 20, 26, 28, 30, 40 mm
Length	1000–4000 mm
Width	200–1200 mm
Jointing	Horizontal finger-joint connection
Available grades	B/B; B/C
Gluing	per DIN EN 204/D3
Surface	Sanded with 80-grit belt

Features

- Suitable for CNC machining

Industries & Applications

Furniture

- Countertops, legs, table frames, bed frames
- Kitchen cabinets

Interior finishing

- Stairs
- Door frames
- Handrails

✓ FSC-certified products — available upon request



Trud PF

Olena +38 050 538 01 64

trud.pf@gmail.com

Roman +38 067 374 11 01

trud3000@ukr.net

Vasyl +38 067 373 36 74

info@pf-trud.com

Page 2/9



TRUD PF — PRODUCT CATALOG

Beams (Brus)

Material	Beech
Moisture	8% +/- 2%
Thickness	53, 55, 60, 70, 72 mm
Length	1000–3000 mm
Width	39–120 mm
Gluing	per DIN EN 204/D3
Surface	Sanded with 80-grit belt

Industries & Applications

Furniture

- Table frames, legs, bed frames

Interior finishing

- Door frames
- Handrails

Household accessories

- Tool parts, handles — anywhere wood with high mechanical strength and an elegant look is needed

✓ FSC-certified products — available upon request



Trud PF

Olena +38 050 538 01 64

trud.pf@gmail.com

Roman +38 067 374 11 01

trud3000@ukr.net

Vasyl +38 067 373 36 74

info@pf-trud.com

Page 3/9



TRUD PF — PRODUCT CATALOG

Stairs

Reliable, stylish stairs made of natural beech — the ideal solution for your home, apartment, or office. Crafted from high-quality beech wood, they stand out for strength, durability, and an elegant appearance. Thanks to the wood's natural texture and warm tone, these stairs blend harmoniously into any interior.

Suitable for both private homes and public spaces. These stairs deliver not just function, but also add refinement and comfort to your space.

Material	Natural beech
Construction	Glued beech panel

Features

- High wear resistance
- Eco-friendly and safe
- Comfortable overhanging nosing for safe use
- Smooth sanded surface, ready for lacquer or oil finishing

Advantages

- Premium natural wood
- Aesthetic look and universal design
- Easy installation



Trud PF

Olena +38 050 538 01 64

trud.pf@gmail.com

Roman +38 067 374 11 01

trud3000@ukr.net

Vasyl +38 067 373 36 74

info@pf-trud.com

Page 4/9



TRUD PF — PRODUCT CATALOG

Sub-stairs

A beech substep is a strong, reliable element for building long-lasting stairs. Made from natural beech, it offers high stability and pairs perfectly with steps made of the same material.

The substep with a groove for the step ensures a tight fit and minimizes assembly time for the whole structure. It's the choice for those who value quality, simplicity, and reliability in finished stairs.

Material	Natural beech
Construction	Glued beech panel

Features

- Special profile geometry (milled groove) for a fast, precise joint with the step
- Ready for installation without extra processing
- Smooth sanded surface
- High load resistance

Advantages

- Faster installation thanks to the ready-made milling
- Perfect compatibility with the steps
- Premium natural wood
- Reliability and durability in use



Trud PF

Olena +38 050 538 01 64

Roman +38 067 374 11 01

Vasyl +38 067 373 36 74

trud.pf@gmail.com

trud3000@ukr.net

info@pf-trud.com

Page 5/9

Power Line Poles

Wooden poles for overhead power transmission and communication lines rated 0.4–110 kV. Made from pine and deep autoclave-impregnated with an antiseptic that protects the wood from rot, fungi, and insects for its entire service life.

Poles are manufactured in three strength types — light (L), medium (M), and strong (S) — and are rated for service classes from moderate climates to seawater and subtropical conditions.

Material	Pine, grade 1–2 (GOST 9463)
Length	3.5–13 m
Strength types	L (light) · M (medium) · S (strong)
Pre-impregnation moisture	max 28%
Impregnation	autoclave, vacuum-pressure-vacuum method
Antiseptic	Tanalith E
Service life	at least 10 years
Standard	TU U 16.2-22847211-001:2013

Features

- Debarked with bark removed, natural even taper
- No local thickening or complex curvature
- Metal fittings with anti-corrosion (galvanized) coating
- Each batch comes with an impregnation certificate

Advantages

- Deep antiseptic penetration protects the wood for its entire service life
- Rated for service classes VI–XVIII, including marine and subtropical conditions
- UkrSEPRO-compliant, certification-ready

Industries & Applications

Power & communication

- Overhead power lines rated 0.4–110 kV
- Communication lines
- New construction and line repair

Garden Poles

Debarked, rounded, and pointed wooden poles — a convenient solution for stretching protective netting over fields, fencing, and garden trellises. The pointed end lets you drive the pole into the ground without extra work.

Made from pine with deep autoclave impregnation that reliably protects the wood from rot and pests even in direct contact with soil.

Material	Pine, grade 1–2 (GOST 9463)
Length	1–13 m
Strength types	L (light) · M (medium) · S (strong)
Shape	debarked, rounded, pointed
Pre-impregnation moisture	max 28%
Impregnation	autoclave, vacuum-pressure-vacuum method
Service life	at least 10 years
Standard	TU U 16.2-22847211-002:2018

Features

- Pointed end for easy driving into the ground
- Smooth rounded surface, free of bark residue
- Natural even taper, no thickening or complex curvature

Advantages

- Resistant to rot, fungi, and pests thanks to deep impregnation
- Wide length range — from short stakes to 13-metre poles
- Ready for voluntary certification

Industries & Applications

Agriculture & gardening

- Protective netting over fields and orchards (hail, bird netting)
- Fencing
- Trellises for vineyards and orchards



TRUD PF — PRODUCT CATALOG

RUF Briquettes

Dense, economical briquettes that provide long, smoke-free burning.

Made exclusively from natural oak, beech, and spruce sawdust, with no glue or chemical additives — making RUF briquettes a completely eco-friendly fuel.

1 tonne of briquettes can replace up to 5 m³ of ordinary firewood, making them not only effective but also cost-efficient. They take up minimal storage space and provide comfortable heating.

Moisture	6–9%
Volatile matter	83.5%
Ash	0.7%
Density	1 kg/dm ³
Calorific value	4400–4850 kcal/kg
Dimensions (L × W × H)	160 × 100 × 60 mm
Packaging	Polyethylene film



TRUD

Trud PF

Thank you for your attention!

Get in touch with us for pricing and delivery terms.

ADDRESS

39 Sadova St., Hlyboka village, Chernivtsi district, Chernivtsi region, 60400, Ukraine

EMAIL

trud.pf@gmail.com
trud3000@ukr.net
info@pf-trud.com

CONTACT PERSONS

OLENA (Owner)

+38 050 538 01 64

ROMAN (Owner, CEO)

+38 067 374 11 01

VASYL (Owner)

+38 067 373 36 74



Trud PF

Olena +38 050 538 01 64

trud.pf@gmail.com

Roman +38 067 374 11 01

trud3000@ukr.net

Vasyl +38 067 373 36 74

info@pf-trud.com

Page 9/9